No: TEQIP-II/FF/07/2023/GECSKP

Government Engineering College Palakkad, Sreekrishnapuram Ph:04662260565

SHORT QUOTATION NOTICE

Quotation Number	04/22-23
Due date and time for receipt of quotations	21/03/2023, 02.00 PM
Date and time for opening of quotations	21/03/2023, 03.00 PM
Date up to which the rates are to remain firmfor acceptance	30/06/2023
Designation and address of officer to whom the quotation is to be addressed	Principal, Govt. Engineering College, Sreekrishnapuram TEQIP OFFICE, Mannampatta PO-678633

Sealed quotations are invited for the supply of the materials specified in the schedule attached below/overleaf. The rates quoted should be for delivery of the articles at the place mentioned belowthe schedule. The necessary superscription, due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted above. Any quotation received after the time fixed on thedue date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned. Quotations not stipulating period of firmness and with price variation clause and/or subject to prior sale condition are liable to be rejected.

The acceptance of the quotations will be subject to the following conditions:

- 1. Acceptance of the quotation constitutes a concluded contract. Nevertheless, the successful tenderer must within a fortnight/a month after the acceptance of his quotation furnish 5 per cent of the amount of the contract as security deposit and execute an agreement at his own cost for the satisfactory fulfillment of the contract, if so required.
- 2. Withdrawal from the quotation after it is accepted or failure to supply within a specified time or according to specifications will entail cancellation of the order and purchases being made at the offerers expenses from elsewhere, any loss incurred thereby being payable by the defaulting party. In such an event the Government reserves also the right to remove the defaulter's name from the list of Government suppliers permanently or for a specified number of years.
- 3. Samples, duly listed, should be forwarded if called for under separate cover and the unapproved samples got back as early as possible by the offerers at their own expenses and the Government will in the case be liable of the samples or their transport charges, etc. In case, the samples are sent by railway; the railway receipt should be sent separately, and not along with the quotation since the quotation will be opened only on the appointed day and demurrage will have to be paid if the railway parcels are not cleared in time. Quotations for the supply of materials are liable to be rejected unless samples if called for of the materials tendered for are forwarded. The approved samples may or may not be returned at the discretion of the undersigned. Samples sent by V.P. Post or "freight to pay" will not be accepted.

- 4. No representation for enhancement of price once accepted will be considered during the currency of the contract.
- **5.** Any attempt on the part of tenderers or their agents to influence the Officers concerned in their favour by personal canvassing will disqualify the tenderers.
- **6.** If any license or permit is required, tenderers must specify in their quotation and also state the authority to whom application is to be made.
- 7. The quotation may be for the entire or part supplies. But the tenderers should be prepared to carry out such portion of the supplies included in their quotation as may be allotted to them.
- **8.** (a) In cases where a successful tenderer, after having made partial supplies fails to fulfill the contracts in full, all or any of the materials not supplied may, at the discretion of the Purchasing Officer be purchased by means of another tender/quotation or by negotiation or from the next higher tenderer who had offered to supply already and the loss, if any, caused to the Governmentshall thereby together with such sums as may be fixed by the Government towards damages be recovered from the defaulting tenderer.
- (b) Even in cases where no alternate purchases are arranged for the materials not supplied, the proportionate portion of the security deposit based on the cost of the materials not supplied at the rate shown in the tender of the defaulter shall be forfeited and balance alone shall be refunded.
- (c) Any sum of money due and payable to the contractor (including Security Deposit returnable tohim) under this contract may be appropriated by the Purchasing Officer or Government or any other person authorized by Government and set-off against any claim of the Purchasing Officer or Government for the payment of a sum of money arising out of or under any other contract made by the contractor with the Purchasing Officer or Government or any other person authorized by Government.
- **9.** The prices quoted should be inclusive of all taxes, duties, cesses, etc., which are or may become payable by the contractor under existing or future laws or rules of the country of origin/supply or delivery during the course of execution of the contract.
- 10. (a) Ordinarily payments will be made only after the supplies are actually verified and taken to stock but in exceptional cases, payments against satisfactory shipping documents including certificates of Insurance will be made up to 90 per cent of the value of the materials at the discretionof Government. Bank charges incurred in connection with payment against documents through bank will be to the account of the contractor. The firms will produce stamped pre-receipted invoices in all cases where payments (advance/final) for release of railway receipts/shipping documents are made through Banks. In exceptional cases where the stamped receipts of the firms are not received for the payments (in advance) the unstamped receipt of the Bank (i.e.counterfoils of pay-in-slips issued by the Bank) alone may be accepted as a valid poor for the payment made.
- (b) The tenderers shall quote also the percentage of rebate (discount) offered by them in case the payment is made promptly within fifteen days/within one month of taking delivery of stores.
- 11. Any sum of money due and payable to the successful tenderer or contractor from Government shall be adjusted against any sum of money due to Government from him under any other contracts.
- **12.** Special conditions, if any, printed on the quotation sheets of the tenderer or attached with the tender will not be applicable to the contract unless they are expressly accepted in writing by the purchases.

Place: Sreekrishanpuram

Date: 14 -03-2023

Copy to:- Sri.Rajeev.N-T/I C\$E

Principal PRINCIPAL Govt: Engineering College Sreekrishnapuram, Mannampatta - PQ Palakkad - 678 633

Items to be repaired

SI	TEQIP Stock ID	Status	Action Required
110	TEQIP-II-CS-SDS-		
1	04-01	Dell Server	
		Power Edge	Dell Server Power Edge R 720 Mother Board Repair
		R 720 Mother	R720 (Intel Xeon based) server motherboard specification
		Board	Processor: Intel Xeon processor E5-2600 family
			Processor sockets: 2
			Form Factor: 2U rack
			Internal Interconnect: 2 x Intel QuickPath Interconnect (QPI) links; 6.4 GT/s; 7.2 GT/s; 8.0 GT/s
			Chipset: Intel C600
			Memory: Up to 768GB (24 DIMM slots) 2GB/4GB/8GB/16GB/32GE DDR3 up to 1600M T/s
			Hot-plug hard drive options:
			2.5" PCIe SSD, SAS SSD, SATA SSD, SAS (15K, 10K), nearline SAS (7.2K), SATA (7.2K)
			3.5" SAS (15K), nearline SAS (7.2K), SATA (7.2K)
			Self-Encrypting Drives available
			Maximum Internal Storage: 32TB
			Drive Bays: Up to eight 3.5" drives or up to sixteen 2.5" drives
			PCIe slots:
			One x16 full-length, full-height
			Three x8 full-length, full-height
			Three x8 half-length, half-height
			Internal RAID Controllers:
			PERC S110 (SW RAID)
			PERC H310
			PERC H710
			PERC H710P
			External HBAs (RAID): PERC H810
			External HBAs (non-RAID): 6Gbps SAS HBA
			Communications:
		E	Broadcom 5720 Quad Port 1GbE BASE-T (no TOE or iSCSI offload)
			ntel 1350 Quad Port 1GbE BASE-T (no TOE or iSCSI offload)
	SRFF	e	ntel X540 Dual Port 10GbE BASE-T with 2 x 1GbE (FCoE capability nabled on the 10GbE ports)
	600		Broadcom 57800S Dual Port 10GbE Base-T with 2 x 1GbE (TOE and iSCSI offload available on 10GbE ports)
		B	Broadcom 57800S Dual Port 10GbE SFP+ with 2 x 1GbE (TOE and SCSI offload available on 10GbE ports)
	5 33	P	ower:
	PALA 618	S//	itanium efficiency, hot-plug redundant 750W power supply
	PINA MATERIAL PROPERTY.		latinum efficiency, hot-plug redundant 495W, 750W or 1100W ower supplies
			uto-ranging power supplies
		AI	vailability: High-efficiency, hot-plug, redundant power supplies; hot- ug drive bays; TPM; dual internal SD support; hot-plug redundant

fan; optional bezel; luggage-tag; ECC memory, interactive LCD screen; extended thermal support; ENERGY STAR® compliant, extended power range; switch agnostic partitioning (SWAP) Remote Management:
iDRAC7 with Lifecycle Controller
iDRAC7 Express (default), iDRAC7 Enterprise (upgrade option)
8GB vFlash media (upgrade option), 16GB vFlash media (upgrade option)
Systems Management:
IPMI 2.0 compliant

- Prices quoted should be inclusive for repair at site (All spare parts cost, Installation cost, Loading, Unloading and Transportation).
- Work: Within 15 days from date of receipt of confirmed Work order.
- Payment: After satisfactory completion of work.
- Taxes if any: Should be shown separately

PALAKKAD DT PIN - 678 633

Principal

PRINCIPAL
Govt: Engineering College
Sreekrishnapuram, Mannampatta - PO
Palakkad - 678 633

Quotation No: 04/2022-2023

SHORT QUOTATION NOTICE

Sealed quotations are invited for the Repair work of Dell Server Power Edge R 720 in the CSE Department.

The envelopes containing the quotation should bear the superscription "Quotation No: 04/22-23 for the TEQIP /Repair work of Dell Server Power Edge R 720 in the CSE Department" and should be addressed to The Principal, Government Engineering College, Sreekrishnapuram, Mannampatta-P.O, Palakkad - 678 633. Intending tenderers may submit the quotations on their own papers.

Last date for receipt of quotations is 21/03/2023; 2.00 PM. Late quotations will not be accepted. The quotations will be opened at 03.00 PM on 21/03/2023 in the presence of such of the tenderers or their authorized representatives who may be present at that time. The maximum period required for repair work should also be mentioned.

Details of the requirements and the conditions governing their repair work can be obtained from www.gecskp.ac.in

Place: Sreekrishnapuram

Date: 14-03-2023



Principal

PRINCIPAL
Govt: Engineering College
Sreekrishnapuram, Mannampatta - P.O
Palakkad - 678 633

ഭരണഭാഷ – മാതുഭാഷ

TEQIP-II/FF/07/2023/GECSKP

സർക്കാർ എഞ്ചിനീയറിംഗ് കോളേജ് പാലക്കാട്, മണ്ണമ്പറ്റ (പി.ഒ), ശ്രീകൃഷ്ണപുരം- 678633

ലഘുക്വട്ടേഷൻ പരസ്യം

ക്വട്ടേഷൻ നമ്പർ: 04/2022-2023

ശ്രീകൃഷ്ണപുരം സർക്കാർ എഞ്ചിനീയറിംഗ് കോളേജിലെ **സി എസ് ഇ**. വിഭാഗത്തിൽ **സെർവർ** (1 എണ്ണം) റിപ്പയർ ചെയ്യുന്നതിനു വേണ്ടി താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്ര വച്ച കാട്ടേഷനുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു

പൂരിപ്പിച്ച കട്ടെഷനുകൾ സമർപ്പിക്കുന്ന കവറിനു മുകളിൽ "TEQIP/ Repair Work of Dell Server Power Edge R720" എന്ന് പ്രത്യേകം രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, സർക്കാർ എഞ്ചിനീയറിംഗ് കോളേജ്, മണ്ണമ്പറ്റ (പി.ഒ), ശ്രീകൃഷ്ണപുരം, പാലക്കാട് - 678633 എന്ന മേൽവിലാസത്തിൽ അയക്കേണ്ടതാണ് . പൂരിപ്പിച്ച കാട്ടേഷനുകൾ ലഭിക്കേണ്ട അവസാന തീയ്യതി 21/03/2023. അവസാന തീയ്യതിയും സമയവും കഴിഞ്ഞു ലഭിക്കുന്ന കാട്ടേഷനുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. കാട്ടേഷനുകൾ തുറക്കുന്ന സമയം 21/03/2023, 03.P.M. കാട്ടേഷനുകൾ തുറക്കുന്ന സമയത്ത് കാട്ടേഷനുകൾ സമർപ്പിച്ച ആൾക്കോ അവർ നിയോഗിക്കുന്ന വ്യക്തികൾക്കോ ഹാജരാകാവുന്നതാണ്.

സ്ഥലം : ശ്രീകൃഷ്ണപുരം

തിയ്യതി: 14-03-2023

PALAKKAD DT PIN - 678 633

പ്രിന്ത്യിപ്പാൾ

PRINCIPAL

Govt: Engineering College Sreekrishnapuram, Mannampatta - P.O Palakkad - 678 633